

C-CHANNEL, BOX-CHANNEL, RECTANGULAR & SQUARE OPEN SEAM TUBING CHART

WEB O.D	WEB I.D	LEG O.D	LEG I.D	RETURNS O.D.	GAP/OPENING I.D.	METAL THICKNESS
.425"	.377"	.679"	.631"	.191"	.011"	0.024
.500"	.342"	.500"	.342"	.125"	.250"	0.079
.500"	.380"	.500"	.380"	.125"	.250"	0.060
.500"	.428"	.500"	.428"	.125"	.250"	0.036
.600"	.528"	.148"	.076"	.135"	.330"	0.036
.609"	.535"	.487"	.413"	.145"	.319"	0.037
.745"	.625"	.620"	.500"	.185"	.375"	0.060
.750"	.702"	.281"	.233"	.250"	.250"	0.024
.750"	.600"	.750"	.600"	.250"	.250"	0.075
.750"	.630"	.750"	.630"	.250"	.250"	0.060
.780"	.742"	.575"	.537"	.269"	.242"	0.019
.813"	.733"	.406"	.272"	.188"	.437"	0.040
.860"	.800"	.160"	.100"	.115"	.630"	0.030
.904"	.784"	1.004"	.793"	.226"	.452"	0.060
.922"	.850"	.178"	.106"	.156"	.610"	0.036
.961"	.913"	.704"	.656"	.303"	.355"	0.024
.970"	.898"	.187"	.115"	.145"	.680"	0.036
.975"	.903"	.178"	.106"	.219"	.537"	0.036
1.000"	.964"	.200"	.164"	.095"	.810"	0.018
1.000"	.952"	.500"	.452"	.343"	.315"	0.024
1.000"	.904"	1.000"	.904"	.375"	.250"	0.048
1.000"	.880"	1.000"	.880"	.375"	.250"	0.060
1.000"	.896"	1.500"	1.396"	.171"	.658"	0.052
1.038"	.982"	.923"	.867"	.288"	.462"	0.028
1.042"	.982"	.471"	.411"	.117" & .283"	.642"	0.030
1.050"	.984"	.780"	.714"	.240"	.570"	0.033
1.062"	.990"	.156"	.084"	.156"	.750"	0.036
1.215"	1.143"	.188"	.116"	.145"	.925"	0.036
1.236"	1.176"	.866"	.806"	.278"	.680"	0.030
1.249"	1.199"	.219"	.169"	.156"	.937"	0.025
1.250"	1.156"	.437"	.312"	.156"	.938"	0.047
1.250"	1.124"	1.250"	1.124"	.250"	.750"	0.063
1.250"	1.130"	2.000"	1.880"	.595"	.060"	0.060
1.253"	1.133"	.209"	.089"	.470"	.313"	0.060
1.259"	1.199"	.197"	.137"	.100"	1.060"	0.030
1.375"	1.225"	.480"	.330"	.250"	.875"	0.075
1.403"	1.291"	.468"	.256"	.468"	.467"	0.056
1.491"	1.431"	.221"	.161"	.221"	1.049"	0.030
1.491"	1.423"	.246"	.178"	.280"	.931"	0.034
1.494"	1.444"	.219"	.169"	.161"	1.172"	0.025
1.500"	1.404"	.500"	.404"	.500"	.500"	0.048
1.500"	1.380"	.500"	.380"	.500"	.500"	0.060
1.500"	1.380"	.625"	.505"	.312"	.876"	0.060
1.500"	1.350"	1.000"	.850"	.312"	.876"	0.075
1.500"	1.380"	1.500"	1.380"	.500"	.500"	0.060
1.725"	1.653"	.188"	.116"	.145"	1.435"	0.036
1.998"	1.902"	1.498"	1.402"	.655"	.688"	0.048
2.000"	1.760"	2.000"	1.760"	.735"	.531"	0.120
2.000"	1.880"	2.000"	1.880"	.735"	.531"	0.060
2.004"	1.954"	.219"	.169"	.161"	1.682"	0.025
2.125"	2.029"	.313"	.217"	.313"	1.499"	0.048
2.250"	2.122"	2.000"	1.872"	.638"	.975"	0.064
2.500"	2.380"	1.750"	1.630"	.563"	1.375"	0.060
2.500"	2.452"	.563"	.469"	.312"	1.875"	0.024
3.438"	3.318"	1.750"	1.630"	.532"	2.375"	0.060
4.000"	3.950"	.100"	.050"	.100"	3.800"	0.025
5.000"	4.952"	.563"	.469"	.281"	4.438"	0.024

*Gap/Opening can be Larger then shown, Narrower Requires Tooling Modifications.

* Materials Used: Steel, Stainless, Aluminum, Brass, Copper, Bronze, Tempered, Textured, Embossed, Perforated, Alloys, Clad

* Prefinishes Used: Plain, dull, Prepolished, Prepainted, Preanodized, Strippable-PVC Coated, Prelaminated Vinyl, Preplated, Prelacquered, Galvanized (Hot Dip: G30, G60, G90, G210, Bonderized, Electro, Chromate) Galvannealed, Aluminized, Galvanized.

* Many other sizes not shown here are possible. *Thickness can vary slightly using same tooling.

* Inline Press Fabricating: Holes, Notching, End Fabricating, Perforating, Embossing, Cut-to-length, and more.

* I.D.'s will vary with different thicknesses used.